

POPULATION ESTIMATES

CENSUS DATA

LOCAL PUBLIC HEALTH

Total 1995 Population Est 13,700
Percent Female 49.7

Population per square mile 20
Rank in state 59
(1=highest population density,
72=lowest population density.)

Age	Female	Male	Total
0-14	1,460	1,480	2,940
15-19	480	520	1,005
20-24	320	410	730
25-29	310	370	680
30-34	540	510	1,050
35-39	590	610	1,200
40-44	450	570	1,020
45-54	760	770	1,530
55-64	640	640	1,280
65-74	610	560	1,170
75-84	420	350	770
85+	230	100	330
Total	6,810	6,890	13,700

Age	Female	Male	Total
0-17	1,760	1,810	3,570
18-44	2,390	2,660	5,050
45-64	1,400	1,410	2,810
65+	1,260	1,010	2,270
Total	6,810	6,890	13,700

Note: Data in this section are from the 1990 Census. (All other sections contain 1995 data except where specified.)

Ratio of 1989 Family
Income to Poverty
(Cumulative)

Age	<100%	<185%	<200%	Total
<5	16	42	45	965
5-17	15	39	43	2,656
18-44	10	29	32	5,049
45-64	8	22	26	2,576
65+	14	45	51	2,091

--- C A N C E R I N C I D E N C E ---
(1995)

Primary site	Number
Colon	6
Lung	6
Breast	13
Prostate	7
All others	40
Total	72

E M P L O Y M E N T

Note: Average wage is based on place of work, not place of residence.

Average wage for jobs covered
by Unemployment Compensation \$23,180

Labor Force Estimates	Annual Average
Civilian labor force	7,707
Number employed	7,390
Number unemployed	317
Unemployment rate	4.1%

L O N G T E R M C A R E

Home Health Agencies	1
Patients	76
Patients per 10,000 pop	55

Nursing Homes	3
Licensed beds	199
Occupancy rate (percent)	87.7%
Residents on 12/31/95	170
Residents per 1,000 population aged 65 or older	72

Activities Reported	Number	Per 10,000
---------------------	--------	------------

Public Health Nursing		
Total clients	395	288
Total visits	1,051	766
Visits: Reason for		
Gen hlth promotion	211	154
Infant/child hlth	58	42
Infectious & parasitic	57	42
Circulatory	123	90
Prenatal	10	7
Postpartum	68	50

WIC Participants	466	340
------------------	-----	-----

Clinic Visits	2,960	2,157
Immunization	2,356	1,717
Blood pressure	.	.

Environmental Contacts		
Env hazards	11	8
Public health nuisance	24	17

School Health		
Vision screenings	.	.
Hearing screenings	.	.

Health Education		
Community sessions	3	2
Community attendance	14	10
School sessions	.	.
School attendance	.	.

Staffing - FTEs		
Total staff	4	2.8
Administrators	<1	0.1
Public health nurses	1	0.9
Public health aides	<1	0.4
Environmental specialists	.	.

LOCAL PUBLIC HEALTH FUNDING

	Amount	Per Capita
Total funding	\$106,967	\$7.79
Local taxes	\$61,280	\$4.47

----- N A T A L I T Y -----

TOTAL LIVE BIRTHS 165
 Crude Live Birth Rate 12.0
 General Fertility Rate 61.2

Live births with reported
 congenital anomalies 4 . %

Delivery Type	Births	Percent
Vaginal after previous cesarean	4	.
Forceps	5	.
Other vaginal	134	81
Primary cesarean	13	.
Repeat cesarean	9	.
Other or unknown	0	.

Birth Weight	Births	Percent
<1,500 gm	1	.
1,500-2,499 gm	4	.
2,500+ gm	159	96.4
Unknown	1	.

Birth Order	Births	Percent
First	55	33
Second	72	44
Third	21	13
Fourth or higher	17	.
Unknown	0	.

First Prenatal Visit	Births	Percent
1st trimester	137	83
2nd trimester	25	15
3rd trimester	1	.
No visits	0	.
Unknown	2	.

Number of Prenatal Care visits	Births	Percent
No visits	0	.
1-4 visits	2	.
5-9 visits	24	15
10-12 visits	73	44
13+ visits	64	39
Unknown	2	.

Marital Status of Mother	Births	Percent
Married	139	84
Not married	26	16
Unknown	0	.

Education of Mother	Births	Percent
Elementary or less	1	.
Some high school	12	.
High school	65	39
Some college	54	33
College graduate	32	19
Unknown	1	.

Smoking Status of Mother	Births	Percent
Smoker	30	18
Nonsmoker	133	81
Unknown	2	.

Race of Mother	Total Births		Low Birth Weight (under 2,500 gm)		Trimester of First Prenatal Visit					
	Births	Percent	Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
					Births	Percent	Births	Percent	Births	Percent
White	164	99	5	.	136	83	25	15	3	.
Black	0
Other	0
Unknown	1	.	.	.	1

Age of Mother	Fertility		Low Birth Weight (under 2,500 gm)		Trimester of First Prenatal Visit					
	Births	Rate	Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
					Births	Percent	Births	Percent	Births	Percent
<15	0	--
15-17	1	1	.	.	.
18-19	8	.	1	.	7	.	1	.	.	.
20-24	42	130	1	.	31	74	10	.	1	.
25-29	57	182	.	.	47	82	9	.	1	.
30-34	34	63	.	.	33	97	1	.	.	.
35-39	19	.	3	.	16	.	3	.	.	.
40+	3	.	.	.	3
Unknown	1	--	1	.

Teenage Births 9 .

----- M O R B I D I T Y -----

----- M O R T A L I T Y -----

REPORTED CASES OF SELECTED DISEASES

Disease	Number
Campylobacter Enteritis	9
Giardiasis	<5
Hepatitis Type A	0
Hepatitis Type B*	0
Hepatitis NANB/C**	0
Legionnaire's	0
Lyme	6
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	<5
Salmonellosis	<5
Shigellosis	0
Tuberculosis	0

* Includes HBV carriers

** Includes HCV screens

Sexually Transmitted Disease

Chlamydia Trachomatis	7
Genital Herpes	<5
Gonorrhea	<5
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	0
Syphilis	0

----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by
Compliance Level

Compliant	2,981
Non-compliant	7
Percent Compliant	99.8

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths.

TOTAL DEATHS 121
Crude Death Rate 883

Age	Deaths	Rate
1-4	.	.
5-14	.	.
15-19	2	.
20-34	.	.
35-54	5	.
55-64	6	.
65-74	28	2,390
75-84	43	5,577
85+	37	11,212

Infant Mortality	Deaths	Rate
Total Infant	.	.
Neonatal	.	.
Post-neonatal	.	.
Unknown	.	.

Race of Mother	Deaths	Rate
White	.	.
Black	.	.
Other	.	.
Unknown	.	.

Birth Weight	Deaths	Rate
<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	.	.
Unknown	.	.

Perinatal Mortality	Deaths	Rate
Total Perinatal	1	.
Neonatal	.	.
Fetal	1	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	42	307
Coronary heart disease	23	168
Cancer (total)	38	277
Lung	7	.
Colorectal	2	.
Female breast	5	.*
Cerebrovascular Disease	4	.
Chron Obstr Pulmonary	5	.
Pneumonia & Influenza	2	.
Injuries	5	.
Motor vehicle	1	.
Diabetes	2	.
Infectious & Parasitic	.	.
Suicide	1	.

* Rate for female breast cancer based
on female population.ALCOHOL AND DRUG ABUSE AS UNDERLYING
OR CONTRIBUTING CAUSE OF DEATH

Alcohol	1	.
Other Drugs	1	.
Both Mentioned	.	.

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location
of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	128	3
Alcohol-Related	21	1
With Citation:		
For OWI	15	1
For Speeding	9	0
Motorcyclist	6	0
Bicyclist	0	0
Pedestrian	2	0

HOSPITALIZATIONS

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All					
Total	77	5.6	4.4	\$7,903	\$44
<18	14
18-44	15
45-64	15
65+	33	14.5	5.3	\$9,317	\$135
Injury: Hip Fracture					
Total	11
65+	10
Injury: Poisonings					
Total	3
18-44	1
Psychiatric					
Total	39	2.8	8.0	\$4,402	\$13
<18	7
18-44	17
45-64	6
65+	9
Coronary Heart Disease					
Total	53	3.9	5.9	\$18,080	\$70
45-64	14
65+	38	16.7	6.0	\$17,270	\$289
Malignant Neoplasms (Cancers): All					
Total	44	3.2	5.4	\$9,143	\$29
18-44	4
45-64	11
65+	29	12.8	5.8	\$9,064	\$116
Neoplasms: Female Breast (rates for female population)					
Total	2
Neoplasms: Colo-rectal					
Total	6
65+	4
Neoplasms: Lung					
Total	1
Diabetes					
Total	8
65+	4

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Alcohol - Related					
Total	15
18-44	4
45-64	4
Pneumonia and Influenza					
Total	31	2.3	4.5	\$5,703	\$13
<18	13
45-64	1
65+	14
Cerebrovascular Disease					
Total	28	2.0	4.6	\$6,353	\$13
45-64	3
65+	25	11.0	4.4	\$6,080	\$67
Chronic Obstructive Pulmonary Disease					
Total	15
<18	2
18-44	3
45-64	3
65+	7
Drug-Related					
Total	3
18-44	0
Total Hospitalizations					
Total	988	72.0	4.0	\$6,493	\$467
<18	200	56.1	2.9	\$3,024	\$170
18-44	238	47.0	2.6	\$4,132	\$194
45-64	156	55.2	4.5	\$8,464	\$467
65+	394	173.5	5.2	\$8,899	\$1,544

--- PREVENTABLE HOSPITALIZATIONS * ---

Total	126	9.2	4.4	\$5,591	\$51
<18	29	8.1	3.3	\$3,942	\$32
18-44	9	1.8	2.3	\$2,457	\$4
45-64	15	5.3	3.9	\$4,545	\$24
65+	73	32.1	5.3	\$6,847	\$220

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.